



**ISO/IEC 19752 Yield Test Report**

X36x Ship With Print Cartridge  
Printer: X360

Declaration of Yield:	<b>Average Cartridge Yield</b>	<b>3000</b>	<b>standard pages</b>
	<b>Declared yield value in accordance with ISO/IEC 19752</b>		

**Average** 3695  
**Std Dev** 278  
**90% Lower Confidence** 3523

**For questions concerning testing contact:**  
Lexmark International Inc.  
740 West New Circle Rd.  
Lexington, Ky. 40550 USA  
Attn: Laser Supplies Product Manager

**Date tested**      **start** 31-Oct-2008      **stop** 3-Nov-2008

Number of cartridges in testing	9
Qty. of cartridges used in calculation	9
Shake Procedure	1st shake At toner low 2nd shake At fade
Print mode	Continuous
Number of printers tested	3
Media used	Hammermill Tidal MP - 20# - Letter
Paper feed orientation	Short Edge Feed (SEF)
Driver version	Gold 5
Operating system	Windows XP
Application software	Acrobat version 7.0.9
Test page version	19752_Test_Chart_Ver.200406_.pdf

Cartridge testing data:		Temperature						Humidity			Cartridge Yield	Cartridge used in Calculation
Cartridge	Printer	Avg °F	Avg °C	Max °F	Max °C	Min °F	Min °C	Avg	Max	Min		
CAN082970166	603110	73	23	74	23	73	23	53	59	50	3,451	Yes
CAN082970159	603104	73	23	74	23	73	23	53	59	50	3,118	Yes
CAN082970165	603154	73	23	74	23	73	23	53	59	50	3,839	Yes
CAN08297015D	603110	73	23	74	23	73	23	50	51	50	3,869	Yes
CAN082970164	603104	73	23	74	23	73	23	50	51	50	3,835	Yes
CAN082970161	603154	73	23	74	23	73	23	50	51	50	4,046	Yes
CAN082970179	603110	74	23	75	24	73	23	50	52	49	3,770	Yes
CAN082970177	603104	74	23	75	24	73	23	50	52	49	3,558	Yes
CAN08297017A	603154	74	23	75	24	73	23	50	52	49	3,773	Yes

**Comments and or exceptions:**